

RFC 2544 - THROUGHPUT Test

Customer name: XENA
Customer service bandwidth (Mbps): 100.0
Service ID: 2048
Access ID: 10

Test duration (sec): 1.0
Number of pairs: 2
Number of trials: 2
Date: 20-Oct-2010
Time: 8:37 PM


Test Pair(s) **SUMMARY**

<= Select Test Pair Pair


Frame size	64	128	256	512	1024	1280	1518
Theoretical Throughput (fps)	29761904	16891890	9057970	4699248	2394636	1923076	1625486
Throughput (trial 1)	29761904	16891890	9057970	4699248	2394636	1923076	1625486
Throughput (trial 2)	29761904	16891890	9057970	4699248	2394636	1923076	1625486
Throughput (average)	29761904	16891890	9057970	4699248	2394636	1923076	1625486




Throughput by Frame Size vs Theoretical Max



Loss by Frame Size at Maximum Attempted Rate



Latency by Frame Size at Maximum Throughput



RFC 2544 - BACKTOBACK Test

Customer name: XENA
Customer service bandwidth (Mbps): 100.0
Service ID: 2048
Access ID: 10

Test duration (sec): 1.0
Number of pairs: 2
Number of trials: 2
Date: 20-Oct-2010
Time: 9:03 PM

Test Pair(s) **SUMMARY**

<= Select Test Pair Pair

Frame size	64	128	256	512	1024	1280	1518
Burst size (trial 1)	29761904	16891890	9057970	4699248	2394636	1923076	1625486
Burst size (trial 2)	29761904	16891890	9057970	4699248	2394636	1923076	1625486
Burst size (average)	29761904	16891890	9057970	4699248	2394636	1923076	1625486

Maximum Burst by Frame Size

